




2021 THA IMPLANT 1-YEAR REVISION RISK SUMMARY

The MARCQI annual report is based on 106,379 hip cases. 8% of these cases are revisions. Of primary hip cases, 97% are conventional, 2% are conversions, and 1% are resurfacing.



Shaded bars represent the 95% confidence intervals of the percent of primary cases having a revision surgery within one year. Full MARCQI annual report includes age and sex-adjusted hazard ratios, revision data to 5 years, number at risk, reasons for revision, and volume information for each of these implant combinations.

Inclusion criteria for this figure: (1) at least 500 cases in MARCQI database, (2) at least 250 cases at risk at 1 year, and (3) implant is conventional.


[For PDF of full MARCQI annual report, scan QR code or visit \[www.marcqi.org\]\(http://www.marcqi.org\)](#)





2021 TKA IMPLANT 1-YEAR REVISION RISK SUMMARY

The MARCQI annual report is based on 193,160 knee cases. 8% of these cases are revisions. Of primary knee cases, 92% are TKA, 7% are UKA, and 1% are PFJ.



Shaded bars represent the 95% confidence intervals of the percent of primary cases having a revision surgery within one year. Full MARCQI annual report includes age and sex-adjusted hazard ratios, revision data to 5 years, number at risk, reasons for revision, and volume information for each of these implant combinations.

Inclusion criteria for this figure: (1) at least 500 cases in MARCQI database, (2) and at least 250 cases at risk at 1 year,.

[For PDF of full MARCQI annual report, scan QR code or visit \[www.marcqi.org\]\(http://www.marcqi.org\)](#)

